

1. Identification of the Substance/Preparation:

Use: Prevents buildup in irrigation systems.

Product name: FLORAMAX PYTHOFF PLUS

Company: Floragarden Wholesale

Address: PO Box 173, Applecross WA, 6953, AUSTRALIA.

Telephone Numbers: (+61) 0411-297-030

Emergency Telephone Numbers: (+61) 0411-297-030

2. Hazards identification

Non hazardous according to criteria of OSHA or NHOSC Australia, Non DG.

Toxicity Data: Not available

Swallowed: Ingestion may cause nausea, vomiting, abdominal pain and diarrhea. May cause irritation of the throat, mouth and stomach.

Eye: May cause irritation in contact with eyes causing redness and lachrymation.

Skin: May cause irritation if not treated promptly.

Inhaled: Inhalation of mists may cause irritation to the mucous membrane and upper airways.

3. Composition/information on ingredients

Aqueous solution for maintaining the condition of plant nutrient solutions. It contains the following:

Name	CAS	Conc (%W/V)
H2O	7732-18-5	98.0%
Potassium nitrate	7757-79-1	0.7%
Sodium phosphate	7758-29-4	0.5%
Sodium chloride	7647-14-5	0.4%
Potassium chloride	7447-40-7	0.4%

4. First-aid measures

Pythoff is of low toxicity, but might cause skin and eye irritation upon contact and burning, etc (see below) if swallowed. For advice contact a Poisons Information Centre.

Swallowed: Never give anything by mouth if victim is rapidly losing consciousness or is unconscious or convulsing. Rinse mouth thoroughly with water. Do not induce vomiting. If victim can swallow give large quantities of water to dilute material in stomach. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Repeat administration of water. Obtain medical attention immediately.

Eye: Irrigate eyes with gently flowing water for 15 minutes with eyelids held open. Take care not to rinse the contaminated water into the non-affected eye. If irritation persists repeat the flushing. Obtain medical attention immediately.

Skin: If this product comes in contact with skin, wash thoroughly with water until skin no longer feels slippery. Remove contaminated clothing and footwear. Ensure contaminated clothing is thoroughly washed before using again.

Inhaled: Remove source of contamination or move victim to fresh air. If chlorine concentration in the surrounding area is high, first obtain self-contained breathing apparatus, DO NOT BECOME ANOTHER VICTIM. Stay with the victim and have a second rescuer obtain oxygen equipment and call an ambulance. Oxygen should only be administered by a person trained in the procedure. Give artificial respiration only if breathing has stopped. Give CPR if there is no breathing AND no pulse. Obtain medical attention immediately.

5. Fire fighting measures

Fire / Explosion: This product is not flammable. If containers are involved in a fire, heating of the containers may liberate chlorine gas which may rupture them. In certain cases, the liberation of chlorine gas can sustain fire or intensify fire. Reacts vigorously with some organic materials or reducing agents. If the containers are involved in a fire, try to keep them cool, but be aware that pressure build up may cause them to explode. Wear self contained breathing apparatus since chlorine may be evolved. Confine firefighting water as product is a danger to aquatic life.

Flammability: Not flammable. In some cases, vigorous reaction with some oxidizable materials may cause fire or enhance fire.

Extinguishing Media: Use water spray, CO2, foam, or dry chemical powder.

SAFETY DATA SHEET

Issue 1

Issue date: 30 May 2023

Page 2 of 3

FLORAMAX PYTHOFF PLUS

6. Accidental release measures

Spills: In case of spill, if accidentally mixed with acid this product may liberate chlorine gas. If chlorine concentration is above the TLV, wear SCBA during clean up. Contain spill and absorb in solid absorbent (sand, inert material, vermiculite) and collect in open top sealable plastic drums for disposal. Very small spills can be diluted with water and washed away. However, prevent product from entering rivers, canals and other waterways. Harmful to aquatic life in low concentrations. To deactivate, use a reducing agent such as sodium sulphite, sodium bisulphite. Ensure there is no residual chlorine, ONLY THEN, neutralise the remaining alkaline material with dilute acid. Spillage's are slippery. Corrosive to aluminum, zinc, tin. Disposal (After treatment above)- Refer to waste management authority.

7. Handling and storage

Store away from acids, heat (below 25 deg C/ 77 deg F) and direct sunlight. May decompose forming gaseous products, especially when stored over long periods. Do not mix with any other material. Keep containers tightly capped at all times and store only in opaque containers. Do not store in aluminium or galvanised containers. Regulatory Requirements: Follow applicable OSHA regulations.

8. Exposure controls/personal protection

Generally, not a hazard when handled carefully and as instructed. However, as a precaution, especially if splashing of liquid is possible, suitable (approved) personal protective equipment appropriate to the task should be worn:

Hand: Use gloves resistant to alkalis (rubber or plastic).

Eyes: Approved chemical safety goggles or face protection. Contact lenses pose a hazard: Soft lenses may absorb irritants, and all contact lenses concentrate irritants. Particles may adhere to contact lenses and cause corneal damage.

Skin: Wear protective overalls buttoned at the wrist and neck (or bib resistant to alkalis) and impervious footwear. Sleeves of jackets or shirts should be buttoned over the glove wrists; trousers should be worn with the bottoms of legs outside the boots - not tucked in.

Respiration: Use an approved respirator - Seek professional advice.

Note, eye wash fountains and safety showers should be located near any area where large quantities of this product are handled. Remove contaminated clothing promptly. Keep contaminated clothing in closed containers. Discard or launder before re-wearing. Inform laundry personnel of contaminants hazards. Do not smoke, eat or drink in work areas. Wash hands thoroughly after handling this material. Maintain good housekeeping.

9. Physical and chemical properties

Appearance: Very pale-yellow water-based liquid

Boiling Point / Melting Point: Stable below 55 deg C. Above 55 deg C the decomposition rate depends on temperature.

Vapour Pressure: 17mm of Hg @ 20 deg C

Specific Gravity: 1.0

Flashpoint: Not flammable

Flammability Limits: Not flammable

Solubility in Water: Soluble in all proportions

pH: < 11.5

Corrosiveness: Corrodes aluminium, zinc, tin (long-term exposure). Reacts with acids with evolution of chlorine.

10. Stability and reactivity

Stable under normal conditions. Do not mix with acids or other chemicals as this could give rise to dangerous fumes (chlorine). Store away from heat (below 25 deg C) and direct sunlight. May decompose forming gaseous products, especially when stored over long periods. Keep containers tightly capped at all times and store only in opaque containers. Do not store in aluminum or galvanized containers.

SAFETY DATA SHEET

Issue 1

Issue date: 30 May 2023

Page 3 of 3

FLORAMAX PYTHOFF PLUS

11. Toxicological information

Toxicity Data:

Recommended exposure limit (for chlorine): TLV TWA 1ppm (peak).

LC50 (inhalation, rat) = 293 ppm for 1 hour (for chlorine).

Oral toxicity: LD50 (Rat) > 365 mg/kg.

Dermal LD50 = not available.

Inhalation LD50 = not available.

Swallowed: Burning in the mouth, throat and esophagus. May cause blistering of mucous membranes in mouth and throat. Severe pain, vomiting, diarrhea, lowered blood pressure and shock; possibly death.

Eye: Corrosive. Can penetrate deeply, causing irritation or burns depending on the duration of exposure. In severe cases, ulceration and permanent blindness may occur. Speed of treatment by irrigation is essential.

Skin: Contact dermatitis may result from working with this material. Can cause local irritation. Onset of irritation is hours rather than minutes.

Inhaled: On exposure to acids, chlorine gas may be evolved which causes irritation of the nose and upper respiratory tract, headache and coughing. Other symptoms of overexposure include nausea, vomiting, dizziness, shortness of breath, cyanosis and chest pain. Exposure to high concentrations of chlorine can cause decrease in lung function, pulmonary oedema which may be delayed in onset, unconsciousness and death.

Inhalation of mists or aerosols will result in respiratory irritation and possible harmful corrosive effects including lesions of nasal and pulmonary oedema.

12. Ecological information

Prevent product from entering rivers, canals and other waterways. Harmful to aquatic life in low concentrations. A bacteriostat. If spillages are diluted with water, spread into a shallow film of less than a centimetre deep and exposed to the atmosphere and (especially) direct sunlight, all hazardous properties of this product decrease rapidly and would usually be rendered safe within a few hours.

13. Disposal considerations

Observe local legislation.

14. Transport information

Not subject to ADR/DOT/IATA/IMDG codes.

15. Regulatory information

Safety phrases: S2 - Keep out of reach of children.

Risk phrases: Nil

TSCA (U.S. Federal): Not subject.

CPSC (U.S. Federal): Compliant.

16. Other information

Contact Points: Andrew Taylor

Floragarden Wholesale: PO Box 173, Applecross, WA 6953, AUSTRALIA.

Mobile (+61) 0411-297-030 Email: sales@floramax.com

DISCLAIMER

This SDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification of further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. All information is as accurate and up to date as possible.